

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	683	4 and samsung.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 18:56
L6	81	5 and (feeding near roller)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 17:28
L7	20	5 and bushing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 17:19
L8	276	4 and (feed\$3 near roll\$2) and bushings	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 17:46
L9	294	4 and (feed\$3 near roll\$2) and (axial near2 (movement or displacement or position))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 17:46
L10	36	8 and 9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 17:29
L11	258	9 not 10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 17:41
L12	106	11 and 1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 17:55
L13	4	9 and (position near correction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 17:42

L14	192	4 and (feed\$3 near roll\$2) and (position near2 correction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 17:43
L15	3	4 and ((feed\$3 near roll\$2) near4 (position near2 correction))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 17:43
L16	14	4 and (feed\$3 near roll\$2) and (axial near2 (adjustment or registration))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 17:46
L17	2	("4119032" "4676678").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/20 17:51
L18	6	("4759286").URPN.	USPAT	OR	ON	2005/03/20 17:52
L19	7	("3961786" "4116556" "4384712" "4436406" "4583844" "4605215" "4835567").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/20 17:55
L20	10	1 and (axial adj adjustment)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 17:56
L21	1045	(347/104).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/20 17:57
L22	180	21 and axial	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 18:12
L23	5358	1 and (inkjet or (ink adj jet)) and (chassis or frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 18:12
L24	1432	1 and (inkjet or (ink adj jet)) and chassis	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 18:30

L25	447	24 and (bushing or bearing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 18:24
L26	63	25 and registration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 18:13
L27	81	24 and bushing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 18:24
L28	36	27 and retain\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 18:25
L29	107	3 and (inkjet or (ink adj jet)) and chassis	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 18:32
L30	5	29 and bushing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 18:31
L31	663	3 and bushing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 18:32
L32	429	31 and feed	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 18:36
L33	324	32 and (chassis or frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 18:33
L34	144	31 and (feed near roller)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 18:36

L35	729	1 and (feed\$3 near roller) and (vibration or shaking)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 18:44
L36	333	3 and (feed\$3 near roller) and (vibration or shaking)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 18:39
L37	470	35 and shaft	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 18:41
L38	139	35 and (roller near4 shaft)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 18:41
L39	2718	1 and (feed\$3 near roller) and (driv\$3 near4 roller)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 18:45
L40	1398	1 and (feed\$3 near roller) and (driv\$3 near roller)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 18:45
L41	24	40 and bushing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 18:45
L42	280	(347/108).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/20 18:53
L43	9	42 and bushing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 18:53
L44	366	5 and (inkjet or (ink adj jet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 18:56

L45	5	("6206367").URPN.	USPAT	OR	ON	2005/03/20 19:00
L47	18	46 and ring	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 19:18
L48	1	46 and (roller near bushing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 19:19
L49	6	46 and (roller near3 bushing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 19:20
L50	11	46 and (roller near5 bushing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 19:26
L51	2	("20010024228").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/20 19:27
L52	2	("6685312").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/20 19:27
S1	967	(347/104).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/14 19:17
S2	262	(347/108).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/14 19:17
S3	446	(400/629).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/14 19:17

S4	1241	(400/636).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/14 19:17
S5	309	(400/641).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/14 19:17
S6	536	(271/109).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/14 19:17
S7	38	((347/104).CCLS.) and (feed\$3 near roller near shaft)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/14 19:21
S8	402	((347/104).CCLS.) and (feed\$3 near roller)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/14 19:32
S9	40	((347/104).CCLS.) and (feed\$3 near roller)) and (vibration or shaking)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 18:38
S10	11	((347/104).CCLS.) and (feed\$3 near roller)) and bushing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/14 19:33
S11	71	((400/641).CCLS.) and (feed\$3 near roller)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/14 19:33
S12	6	((400/641).CCLS.) and bushing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/14 20:07
S13	6	("1085908" "2341636" "2428316" "3178173" "3360099" "4279496").PN.	USPAT	OR	ON	2004/10/14 19:41

S14	5	"4448554".URPN.	USPAT	OR	ON	2004/10/14 19:43
S15	72	((400/641).CCLS.) and support	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/14 19:45
S16	28	((((400/641).CCLS.) and (feed\$3 near roller)) and (((400/641). CCLS.) and support)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/14 19:45
S17	11	((400/636).CCLS.) and bushing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/14 20:11
S18	9	((271/109).CCLS.) and bushing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/14 20:11
S19	979	(347/104).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 11:48
S20	263	(347/108).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 11:48
S21	527	(400/629).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 11:48
S22	423	(400/641).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 11:48
S23	1523	(400/636).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 11:49

S24	552	(271/109).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 11:49
S25	563	(271/274).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 11:49
S26	73	S19 and (vibration or damping)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 11:49
S27	979	(347/104).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 14:56
S28	77	S27 and (vibration or shaking or damping)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 16:55
S29	527	(400/629).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 16:55
S30	11	S29 and (vibration or shaking or damping)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 17:00
S31	14	("3687448" "4113244" "4313124" "4319790" "4337935" "4345262" "4455081" "4459600" "4463359" "4470796" "4558333" "4723129" "4786920" "5052670").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/09 16:57
S32	4	("0715764" "2280964").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/09 16:59

S33	423	(400/641).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 19:00
S34	10	S33 and (vibration or shaking or damping)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 18:23
S35	16	("1731958" "2465785" "2802417" "2897027" "3171699" "3353879" "3382017" "3942314" "4247213").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/09 17:01
S36	14	("0542857" "0545590" "0689362" "1851561" "2304370" "2494023" "3508800").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/09 17:01
S37	9	("3942314").URPN.	USPAT	OR	ON	2004/11/09 17:02
S38	37	("2244095" "3042179" "3333671" "3390929" "3461235" "3469124" "3513938" "3534847" "3684076" "3712214" "3722655" "3731778" "3838638" "3887057" "3892303" "3893662" "3901372" "4047607" "4164376" "4173420" "4188025" "4227821" "4257282" "4297045" "4317565" "4360279" "4386265" "4386860").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/09 17:06
S39	13	("4502804").URPN.	USPAT	OR	ON	2004/11/09 18:22
S40	159	(57/130).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 18:23
S41	23	S40 and (vibration or shaking or damping)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 18:27
S42	26133	("57").CLAS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 18:27

S43	3651	S42 and spindle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 18:27
S44	298	S43 and (vibration or shaking or damping)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 18:28
S45	137	S44 and cap\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 18:29
S46	36	S44 and (cap or capping)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 18:34
S47	207	S44 and contact	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 18:34
S48	7	S47 and (contact near2 (vibration or shaking or damping))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 18:34
S49	12	S47 and (contact near4 (vibration or shaking or damping))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 18:38
S50	7306	(contact near2 (vibration or shaking or damping))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 19:13
S51	2349	S50 and (roller or spindle or shaft)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 18:39
S52	246	S51 and cap	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 18:43

S53	11	S51 and (cap near2 (roller or spindle or shaft))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 18:41
S54	94	S51 and (cap near2 end)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 18:43
S56	29	S27 and bushing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 19:11
S57	6	S33 and bushing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 19:03
S58	6763	ha.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 19:08
S59	148901	samsung.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 19:05
S60	1269	S58 and S59	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 19:05
S61	1	S60 and S27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 19:06
S63	57324	("347").CLAS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 19:06
S64	56868	("400").CLAS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 19:06

S65	15	S60 and S63	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 19:06
S66	3	S60 and S64	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 19:07
S71	8726	son.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 19:09
S72	1144	S59 and S71	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 19:09
S73	5	S63 and S72	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 19:09
S74	1	S64 and S72	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 19:10
S75	12	S29 and bushing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 19:11
S76	9	(bushing near2 ring near2 (vibration or shaking or damping))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 19:18
S77	120	bushing and (damping near2 ring)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 19:17
S78	7	("2778303" "2986086" "3054346" "4252059").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/09 19:15

S79	979	bushing and (washer near2 ring)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 19:17
S80	7	S79 and (anchor\$3 near ring)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 19:18
S81	208	S79 and (vibration or shaking or damping)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 19:18
S82	1039	(347/104).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/02 20:01
S83	280	(347/108).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/02 20:01
S84	528	(400/629).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/02 20:01
S85	426	(400/641).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/02 20:01
S86	1530	(400/636).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/02 20:01
S87	562	(271/109).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/02 20:01

S88	571	(271/274).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/02 20:01
S89	4665	S82 or S83 or S84 or S85 or S86 or S87 or S88	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 20:03
S90	103	S89 and shaft and bushings	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 20:30
S91	19	S90 and washer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 20:21
S92	34	S90 and axial	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 20:21
S93	55	S89 and (axial near2 (position or adjustment or correction))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 20:31
S94	30	S93 and (bushing or bearing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 20:31
S95	4	("3481211").URPN.	USPAT	OR	ON	2005/03/02 20:32
S96	12	("3788638").URPN.	USPAT	OR	ON	2005/03/02 20:39
S97	5	("2192414").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/06 19:07

S98	1045	(347/104).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 18:56
S99	280	(347/108).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 18:56
S10 0	528	(400/629).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 18:56
S10 1	426	(400/641).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 18:56
S10 2	1530	(400/636).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 18:56
S10 3	562	(271/109).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 18:56
S10 4	571	(271/274).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 18:56
S10 5	4671	S98 or S99 or S100 or S101 or S102 or S103 or S104	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 18:56

S10 6	1	S105 and (anchoring near ring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 18:56
S10 7	1	S105 and (ring near washer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 19:00
S10 8	1	S105 and (washer near2 bushing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 19:01
S10 9	1	S105 and (washer near4 bushing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 18:57
S11 0	5	S105 and (washer near4 bearing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 18:57
S11 1	3	S105 and (ring near2 washer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 19:03
S11 2	4	S105 and (washer near2 shaft)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 19:01
S11 3	1176	S105 and (feed near roller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 19:01

S11 4	34	S113 and washer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 19:01
S11 5	5	S105 and (ring near4 washer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 19:03
S11 6	1	("2349659").URPN.	USPAT	OR	ON	2005/03/16 19:04
S11 7	1	("2083365").URPN.	USPAT	OR	ON	2005/03/16 19:04
S11 8	97	shaft and (bushing or bearing) and (anchor\$3 near ring) and washer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 19:43
S11 9	4742	shaft and (bushing or bearing) and (ring near4 washer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 19:41
S12 0	923	S119 and vibration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 19:41
S12 1	686	S120 and axial	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 19:41
S12 2	41	S119 and (feed\$3 near roller)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 19:42
S12 3	4590	shaft and (bushing or bearing) and (retain\$3 near ring) and washer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 19:43
S12 4	426	shaft and (bushing or bearing) and ((retain\$3 near ring) near2 washer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 19:43

S12 9	5	S128 and S124	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 19:51
S13 0	35	S128 and S123	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 20:01
S13 1	63	S128 and S119	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 19:52
S13 2	10	S131 and (retain\$3 near ring)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 19:52
S13 3	16	("3941051" "4172592" "4332193" "4504051" "4810239" "5122004" "5305068" "5354139" "5358464" "5366303" "5425694" "5454559" "5544966" "5723214" "5791794" "5847747").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/16 19:55
S13 4	16	S127 and S123	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 20:01